



Furniture for people

Specification sheet

S 3000 Evolo

The evolution of a classic
– with great advantages.



Variations	Sub-frame	No. of compartments	Height	Compartment width	Depth
Full height lockers	Feet	1-5	1850 mm	300/400 mm	500 mm
	Plinth	1-5	1800 mm	300/400 mm	500 mm
	Bench In front	1-5	1850 mm	300/400 mm	815 mm
	Lowered bench underframe	1-5	1850 mm	300/400 mm	815 mm
	Bench underneath	1-5	2090 mm	300/400 mm	815 mm
Lockers with pairs of doors	Feet	2 or 4	1850 mm	2x300 / 2x400 mm	500 mm
	Plinth	2 or 4	1800 mm	2x300 / 2x400 mm	500 mm
	Bench in front	2 or 4	1850 mm	2x300 / 2x400 mm	815 mm
	Lowered bench underframe	2 or 4	1850 mm	2x300 / 2x400 mm	815 mm
	Bench underneath	2 or 4	2090 mm	2x300 / 2x400 mm	815 mm
	Storage box underneath	2 or 4	2090 mm	2x300 / 2x400 mm	815 mm
Lockers with one door over two compartments	Feet	2 or 4	1850 mm	2x300 / 2x400 mm	500 mm
	Plinth	2 or 4	1800 mm	2x300 / 2x400 mm	500 mm
	Bench underneath	2 or 4	2090 mm	2x300 / 2x400 mm	815 mm
Laundry, cleaning and storage lockers	Feet	2	1850 mm	2x300 / 2x400 / 1x600 mm	500 mm
	Plinth	2	1800 mm	2x300 / 2x400 / 1x600 mm	500 mm
Double-tier lockers	Feet	1-4	1850 mm	300/400 mm	500 mm
	Plinth	1-4	1800 mm	300/400 mm	500 mm
	Bench underneath	1-4	2090 mm	300/400 mm	815 mm
Combinations lockers	Feet	2 or 3	1850 mm	2x400mm / 3x400 mm	500 mm
	Plinth	2 or 3	1800 mm	2x400mm / 3x400 mm	500 mm
	Bench underneath	2 or 3	2090 mm	2x400mm / 3x400 mm	815 mm
Assembled box lockers, 3-5 tiers	Feet	1-4	1850 mm	300/400 mm	500 mm
	Plinth	1-4	1800 mm	300/400 mm	500 mm
Open wardrobes	Feet	1-2	1850 mm	300/400 mm	500 mm
	Plinth	1-2	1800 mm	300/400 mm	500 mm
Laundry and dispensing lockers, 1,5,10 or 20 tiers	Feet	1-2	1850 mm	Total width: 420 /810 mm	500 mm
	Plinth	1-2	1800 mm	Total width: 420 /810 mm	500 mm

Evolo childcare Full-length	Feet	2-4	1350 mm	300 mm	300 mm
	Plinth	2-4	1300 mm	300 mm	300 mm
Evolo childcare 2 tiers	Feet	2-4	1350 mm	300 mm	300 mm
	Plinth	2-4	1300 mm	300 mm	300 mm
Evolo elementary Full-length	Feet	2-4	1650 mm	300 mm	500 mm
	Plinth	2-4	1600 mm	300 mm	500 mm
Evolo elementary Full-length	Feet	2-4	1650 mm	300 mm	500 mm
	Plinth	2-4	1600 mm	300 mm	500 mm

Fire Service lockers, W 500 mm	Feet	1-3	2000 mm	500 mm	600 mm
Fire Service lockers, W 400 mm	Feet	1-4	2000 mm	400 mm	500 mm
Fire service lockers, Helmet holder on top	Feet	1-4	2185 mm (with helmet holder)	400 mm	500 mm
Fire Service Wardrobes	Feet	2-4	1850 mm	300 mm	500 mm
Fire service lockers, with doors	Feet	1-2	1850 mm	300 mm	500 mm
Fire lockers, 2 tiers	Feet	1-2	1850 mm	300 mm	500 mm
Fire lockers, 4 tiers	Feet	1-2	1850 mm	300 mm	500 mm

Laptop lockers	Feet	1-2	1850 mm	400 mm	500 mm
	Plinth	1-2	1800 mm	400 mm	500 mm

Construction details:

Carcass	<p>Durable steel structure – material thickness 0,88 mm</p> <p>Increased anti-burglary protection thanks to extremely warp-resistant doors and a 54° slope on the body interior – for high stability and an easy, convenient way to remove clothing</p> <p>Ventilation ensured by EVL (Evolvo Ventilation Concept)</p> <p>Optimal air circulation via predefined ventilation spaces in front of and behind the hat shelf</p> <p>Sub-frame alternatively with feet, base, storage box, or bench</p>
Doors	<p>Steel doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering</p> <p>Convenient doorstop silencers for pleasant closing behavior.</p> <p>The Assembled box lockers have smooth doors.</p> <p>Decor doors (MDF and HPL) as standard with door opening limiter 90° made from special heavy-duty, plastic-coated stainless steel cable</p> <p>HPL decor doors available in white, silver gray, birch, cherry, and wengé</p> <p>Exchangeable front concept with steel or MDF decor doors, can also be retrofitted</p>
Interior	<p>Hat shelf with rear anti-roll support and sturdy wardrobe rod made of oval profile, 3 twist-proof hooks with system holder, e.g. for coat hangers or movable partitions</p> <p>Slot-in shoe shelf, can be easily retrofitted by users</p>
Locks	<p>Full height lockers and double-tier lockers are with safety turning bolt latch for padlock with lock guard as standard. Assembled box lockers are with cylinder lock as standard.</p>
Colors	<p>C+P standard colors</p>
Options:	
Feet	<p>Feet in plastic for improved corrosion protection. Height adjustable (10 mm)</p>
Plinth	<p>Steel plinth. Height adjustable</p>
Bench	<p>4 types of lockers with bench: In front, with lowered bench underframe, with bench underneath and with storage box underneath</p> <p>Bench slats made of beech as standard design, approx. 60 x 35 mm side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge.</p> <p>For lockers with storage box seat is made of solid beech.</p> <p>Standard color of bench bases: Black gray RAL 7021.</p> <p>Bench height: 420 mm / Bench height with storage box: 452 mm</p> <p>Bench depth: 315 mm</p> <p>Locker depth: 500/815 mm</p> <p>Shoe rack is available at additional charge.</p>
Locks	<p>Turning bolt latch for padlock,</p> <p>Cylinder lock with or without master key system</p> <p>Cylinder locks in moisture-proof design</p> <p>Coin locks</p> <p>Digilocks</p> <p>Mechanical combination lock</p> <p>Ask for other locking systems</p>
Accessories	<p>Number plates, plastic key rings, wristband for keys, padlocks, sloping top, additional interior fittings, top lockers, different kind of door finish</p>

Details and options:



54° profile in the body:
This innovative profile makes the locker even more stable and secure. Also, the interior can be cleaned and clothing can be removed more easily.



Additional shoe shelf:
Installation height approx. 50 mm. Can easily be retrofitted by a non-specialist!



Increased anti-burglary protection thanks to extremely warp resistant doors:
This is ensured by closed profiles on the sides. The doorstep silencers are a standard feature.




Base can be height adjusted from inside:
Easy adjustment of individual lockers and locker rows.



New door opening limiter 90°:
Made from special heavyduty, plastic-coated stainless steel cable.



Steel Doors
The standard Evolo steel doors with doorstop silencers are extremely warp resistant, and the closed lateral profiles make them especially secure against break-in.



MDF Doors
The optional MDF (medium density fiberboard) décor doors are also equipped with doorstop silencers and have anthracite colored edges all the way round.



HPL Doors
The top of the Evolo range is represented by the variant with doors of HPL (high pressure laminate). These doors also have doorstop silencers.