Can do more than others: S 6000 CAMBIO

C+P Cambio is more than just a locker! The following facts are what makes this range so incomparable:

- Innovative ventilation and drying by means of the SVL, FVL, or FVLD concepts
- Optimum use of space and interior design thanks to corner, niche, and front end solutions
- Underbench solutions designed to meet your needs for adaptation to any room situation
- Choice of many materials and colors for every taste and every requirement
- Body and steel doors electrolytically zinc-plated as a standard
- Vast interior space thanks to a body height of 1850 mm plus sub-frame (feet or base)





Lockers



The C+P Cambio locker offers plenty of space for customized solutions, some of which will be shown on the following pages. The range of possibilities is endless: Locker fronts with irradiated/milled motifs, business class designs, electronic locking systems, and much more.

Let us know your ideas and send us your project-specific inquiry! In the world of changing rooms and locker systems, Cambio is the professional solution for nearly all furnishing needs.

For additional furnishing examples from a market leader, please see the Cambio product series brochures or our website at www.cp.de/cambio




The optimum: S 6000 CAMBIO





The Cambio ventilation concepts are explained in detail on pages 90-91





For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other decors on request):



White





Danube maple Sen ash





Ingenious and pleasant for the highest standards.




Feet 130 mm high with protective sleeves, can be adjusted in height from inside and outside



Single- or double-walled doors with insulation: Single-walled steel doors with closed side profiles for the highest level of stability.

Double-walled doors in sandwich construction with convenient body sound absorption.





Door opening limiter 90° standard design. New design with special heavy-duty, plastic-coated stainless steel cable.

Lockers





Lockers 92



Double-tier lockers 94



Box lockers 96



Z lockers and corner solutions.....100



Stainless steel hinge: For phenolic HPL decor doors



For integration with Cambio: all common mechanical and electronic locking systems, from turning bolt latches to coin-operated locks to electronic locking systems as part of complete building automation (see pages 106, 107, 160-165).



Cylinder lock: with 2 keys as standard fitting.





Systemized ventilation and drying.

They all have holes and louvers. Somehow ventilation is supposed to be achieved through them. But is that enough?

In C+P Cambio, self-ventilation through the SVL concept® was tested and confirmed in scientific investigations.

Damp clothing dries much quicker in Cambio thanks to the effective flow behavior enforced by its design - guaranteed and without any additional energy input! In addition, the FVL and FVLD concepts are available for special drying tasks.

SVL concept®

Self-**V**entilation concept **(SVL)** = effective drying without additional ventilation equipment!

(standard)



Applications for the **SVL concept®:**

Can be used for 90% of all drying tasks! Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).



FVL concept

Forced Ventilation concept (FVL) means elimination of odors by means of high air flow rates and improved drying thanks to connection to an on-site ventilation system.

(additional equipment)





Applications for the **FVL concept:**

Can be used wherever odors need to be eliminated while performing normal drying tasks. Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).

FVLD concept

Forced Ventilation concept with Drying (FVLD) means effective air renewal with an electric dryer and additional ventilation equipment!


(additional equipment)





Applications for the **FVLD concept:**

Can be used wherever a very high amount of damp clothing must be dried in a short time. Depending on moisture content clothing may take only few hours to dry.



Comparison of the concepts

Comparison of drying of conventional lockers and lockers with the SVL, FVL, and FVLD concept by C+P:

SVL = locker with SVL conceptFVL = locker with FVL conceptFVLD = locker with FVLD concept



S 6000 CAMBIO

The S 6000 Cambio series offers more:

- Sturdy steel construction with overlay doors and high-quality enamel coating
- 54° slope on the body interior for high stability and an easy, convenient way to remove clothing
- New ventilation system with the SVL concept® as standard feature (see previous page)!
- Fronts made of steel (single-walled, optionally double-walled or insulated) or phenolic HPL (optional) with wood decor for an even more attractive appearance
- Door hinges for sheet steel doors made of aluminum/plastic
- Door hinges for phenolic HPL decor fronts made of stainless steel
- Door opening limiter 90° for outstanding closing characteristics as standard fittings
- Body and steel doors electrolytically zinc-plated as a standard
- Cylinder lock with 2 keys
- Optimum air circulation due to defined ventilation spaces in front of and behind the storage shelf
- Sturdy wardrobe rail made of oval profile, 4 twist-proof hooks with system holder, e.g. for coat hangers or movable partitions
- Wide variety of interior fitting solutions for any requirement
- Slot-in shoe shelf, can be easily retrofitted by users

- Height adjustment through adjustable plastic feet 130 mm high, can be easily adjusted from inside and outside
- Base height-adjustable
- Wear-resistant plastic feet ensure protection from corrosion
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request



92

B Corner lockers 102



Lockers S 6000 Cambio

with SVL concept® and drying guarantee as standard features, see page 90 and 91



(A) Lockers with full-length doors

on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 1757 x 262/362 x 480 mm (H x W x D), each compartment with storage shelf, wardrobe rail and 4 hooks









1.	Dimensions and
	door material

Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	2	3	4	5
Order no.	45100-10	45100-12	45100-20	45100-22
Price				







Thickness 19 mm + Order no.

+ 45110-710

+ 45112-710

+ 45120-710

+ 45122-710



Thickness 13 mm + Order no.

+ Addtl. charge

+ 45110-730

+ 45112-730

+ 45120-730

+ 45122-730

Body color (see end of catalog for color overview) Please choose



Dimensions and door material

2. Body color

Door color

Options

92

Standard design of the steel locker doors:

- Single-walled, reinforced steel doors for a high degree of stability, Standard
- Optional: Double-walled doors in sandwich construction with body sound absorption through integrated sturdy honeycomb cardboard providing a pleasant sound behavior

Decor fronts (phenolic HPL)

For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other surfaces on request):







White

Silver gray

Danube maple





Sen ash

Oak Sereno





Order no. 45100-20 + 45120-730 (phenolic HPL decor doors in Sen ash) + 4500-700 (base)







900	1200	1200
1980	1980	1980
3 x 300	3 x 400	4 x 300
5 45100-30	6 45100-32	6 45100-40



Base instead of feet, steel design, 100 mm high, height adjustment



+	
	+ 45130-710

+ 45132-710

+ 45140-710

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	

+ 45130-730


+ 45132-730

+ 45140-730



Accessories

S 6000 CAMBIO



(A) Lockers with 2 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 862 x 262/362 x 480 mm (H x W x D), each compartment with wardrobe rail and 4 hooks





3





1	Dimensions and
	door material

	1101
	Cor
Steel doors single-walled	CSO
.]	Orc
	Pric

* * I G C I I
Height
Compartments

der no. ice

Ψ	
300	
1980	
1 x 300	

45101-10

45101-12

600
1980
2 x 300
4

45101-20

800
1980
2 x 400
5
45101 ₋ 22

Steel doors doublewalled

Thickness 19 mm

+ Order no.

+ Addtl. charge

+ 45210-710 + 45212-710

+ 45220-710

+ 45222-710

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45210-730


+ 45212-730

+ 45220-730

+ 45222-730

2. Body color (see end of catalog for color overview)








1. Dimensions and door material



3. Door color

Options







Order no. 45101-20 + 45220-730 (phenolic HPL decor doors)



900



1200 1980



1980
3 x 300
_

3 x 400 6 45101-32

1200
1980
4 x 300
6



+

+ 45230-710

45101-30

+ 45232-710

+ 45240-710

45101-40



+ 45230-730

+ 45240-730



Base instead of feet, steel design, 100 mm high, height adjustment

+ Order no. + Addtl. charge

1950 + 4500-700

Black gray RAL 7021

+ 45232-730



Additional fittings, locks | 103 | - | 107



A Lockers with 3 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 562 x 262/362 x 480 mm (H x W x D), without interior fittings









1.	Dimensions and
	door material

S	,		′'
		Width	
		Height	

Compartmen
CSC
Order no.



1980
1 x 400
4

600
1980
2 x 300
F

800
1980
2 x 400
6



CSC	
Order no.	
Price	





45102-20

A Lockers with

4 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 412 x 262/362 x 480 mm (H x W x D), without interior fittings





400





Dimension	Dimensions and
_	door material

Steel doors single-walled	ı
7	-
*	

Height
Compartments
CSC
0

Width

CSC	
Order no.	
Price	

300
1980
1 x 300
3
45103-10

45103-1
4
1 x 400
1980

600	
1980	
2 x 300	
5	
45103-20	

	800	
	1980	
	2 x 400	
6		
	45103-22	



Thickness 19 mm

+ Order no. + Addtl. charge + 45410-710

+ 45412-710

+ 45420-710

+ 45422-710

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45410-730

+ 45412-730

+ 45420-730

+ 45422-730

2. Body color (see end of catalog for color overview)













Box lockers

Base instead of feet, steel design, 100 mm high,

height adjustment



Color (standard
Locker height


Black gray RAL 7021 1950 + 4500-700

+ Order no.

+ Addtl. charge



_	<	\rightarrow	
	\nearrow		•
D			



900 1980 3 x 300

1200 1980 3 x 400

1200 1980 4 x 300

6 45102-30

7 45102-32

8 45102-40







900 1980 3 x 300 6 7

1200 1980 3 x 400

1200 1980 4 x 300

45103-30

45103-32

8 45103-40

+

+ 45430-710

+ 45432-710

+ 45440-710

+

+ 45430-730

+ 45432-730

+ 45440-730



Accessories

HPL = high-pressure laminate





Order no. 45102-20 + 45420-730 (phenolic HPL decor doors in Danube maple) + 4500-700 (base)



S 6000 CAMBIO



instead of feet, steel design, 100 mm high, height adjustment

Color (standard)		
Locker height		
+ Order no		

+ Addtl. charge

Black gray RAL 7021 1950 + 4500-700



(A) Lockers with 5 tiers

on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 322 x 262/362 x 480 mm (H x W x D), without interior fittings



300

1980







1.	Dimensions and
	door material

	Heigi
	Com
lled	CSC
	Ordo

Width
Height
Compartments

ompartments	1 x 300
SC	4
rder no.	45104-10



600 1980 2 x 300

800	
1980	
2 x 400	



CSC	
Order no.	
Price	



6 45104-20



(A) Lockers with 6 tiers

on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 262 x 262/362 x 480 mm (H x W x D), without interior fittings



300 1980







1	Dimensions and
	door material

St

teel doors single-walle	d
7	-

Width	
Height	
Compartments	

Compartments	1 x 300
CSC	4
Order no.	45105-10
Price	

400	
1980	
1 x 400	

5

45105-12

600	
1980	
2 x 300	
6	

45105-20

800	
1980	
2 x 400	

+	Steel doors double- walled	

Thickness 19 mm

+ Order no. + Addtl. charge

+ 45610-710

+ 45612-710

+ 45620-710

+ 45622-710

45105-22

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45610-730

+ 45612-730


+ 45620-730

+ 45622-730

2. Body color (see end of catalog for color overview)







Box lockers









1.	900
	1980
	3 x 300

1200 1980 3 x 400

1200 1980 4 x 300

8 45104-30

9 45104-32

10 45104-40







900
1980
3 x 300
0

1200 1980 3 x 400

1200	
1980	
4 x 300	

45105-30

9 45105-32

10 45105-40

Ð

+ 45630-710

+ 45632-710

+ 45640-710

+ 45630-730

+ 45632-730

+ 45640-730

Accessories

Additional fittings, locks | 103 | - | 107

CSC = color surcharge code number

HPL = high-pressure laminate



Z lockers

Z lockers offer more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- For use in areas that only offer enough space for a double-tier locker but still require long garments to be hung
- Lots of storage space! Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the functional interior arrangement
- Each compartment has a rail with 3 hooks on the side
- All users have compartments of exactly the same size



Vectogram on an phenolic HPL door (optional)



Order no. 45180-224

A Z lockers

on feet 130 mm high, Each compartment has a rail with 3 hooks on the side



Width
Depth
Height





2

•	•
300	400
525	525
1980	1980
for	for
2 persons	2 persons

3 45180-132 45180-122



600	
525	
1980	
for	
4 persons	

45180-234



800


525 1980

for 4 persons 5

45180-224

A Z-Combination lockers


on **feet** 130 mm high, with two Z compartments each on the left and right, double-tier compartment in the middle



Width	
Depth	
Height	
Description	

HPL decor doors	(
	(
	F

CSC	
Order no.	
Price	




5 45181-336



Ψ
1200
525
1980
for
6 persons
6
45181-326

The practical, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks is very user-friendly and allows several garments to be hung at intervals.




















900
525
1980
for
6 persons
5

45180-336

1200
525
1980
for
6 persons

6 45180-326

1200
525
1980
for
8 persons
6
45180-438



+ Base instead of feet, steel design, 100 mm high, height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



Order no. 45181-326

Accessories





B Corner lockers on feet 130 mm high





Dimensions and door material

Depth
Height
Clear opening dimensions per door (HxWxD)
Description

500/213 1980 1610 x 262 x 260 with one full-length door, storage shelf and 2 turnable triple hooks

780 x 262 x 260 with 2 doors and 2 compartments on top of one another, 2 triple swivel hooks per compartment

500/213

1980



CSC Order no. Price

3 45100-90

3 45101-90



Thickness 19 mm + Order no. + Addtl. charge

+ 45110-710

+ 45210-710



Thickness 13 mm


+ Order no.


+ 45110-730 + Addtl. charge

+ 45210-730



Body color (see end of catalog for color overview)







Accessories

Additional fittings, locks|103| - |107|

Base instead of feet, steel design, 100 mm high, height adjustment

Black gray RAL 7021 Color (standard) Locker height 1950 + Order no. + 4500-700 + Addtl. charge





1. Dimensions and door material



3 Door color

Options

.

Design variants and accessories



© Slope tops

without locker: rear approx. 230 mm high (= nothing can be left on top of the locker)



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
+ Order no.	+ 4531-70	+ 4541-70	+ 4532-70	+ 4542-70	+ 4533-70	+ 4543-70	+ 4534-70
+ Addtl. charge							

Slope tops

for corner on existing corner locker





Design	Interior corner	Exterior corner
for compartments	1 x 300	1 x 300
+ Order no. + Addtl. charge	+ 4591-70	+ 4590-70

Pairs of doors closing in the middle*

Doors with joint lock, price **per pair**

for series	45100-20	45100-22
Locker width	600	800
+ Order no. + Addtl.charge	+ 45107-20	+ 45107-22

Base planking panel

Black gray plastic, 100 mm high, with bottom sealing lip, self-adhesive

per runnir	ng meter
+ Order no.	+ 4400-7002
+ Addtl. charge	



Experience this space-saving miracle.

Make optimal use of your C+P changing room and locker furniture.

That's no problem with C+P's well thought out locker accessories. The versatile interior fitting solutions ensure that all the space is used. You'll be amazed at all the extras that fit into your C+P steel locker.

Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers

4500-707



Coat hanger with

laundry net

the classic option

for pools, spas, and similar facilities

8501-04251

Coat hanger with multi-function hooks As an alternative to the net, for example for areas with special hygiene requirements



8501-04

Towel hanger movable, for easier drying of large towels



4500-760

Additional fittings in the housing

Slot-in shoe shelf


Order no. Price

installation height approx. 250 mm, can be easily retrofitted by users



Design	Steel, black	gray coating	Stainless steel	
for compartment width	300	400	300	400
Order no. Price	4500-765	4500-766	4500-765E	4500-766E
Partitions below the storage shelf	made of translucent plastic, movable and swivel design, low-maintenance		made of blue linen material, movable and swivel design, with several pockets	
Partition H x W	1210	x 300	1170	x 450
Order no. Price	4500)-705	4500)-706

Labeling systems 132



Locker connectors

for side

(1 set for 2 lockers), for linking 2 lockers



Order no. Price 4500-715

Shield panel

exterior,

addtl. charge per compartment, for compartment rear panel with back-to-back configuration

Compartment width	300	400
Order no.	4500-10	4500-11
Addtl. charge		



Equipment solutions for the locker door

The easy way to keep things neat!

Use the door insides of your C+P changing room and locker furniture as an extra storage area.


Your benefits

- More space inside
- Accessories easy to reach
- Neat storage of even small items
- User-friendly handling
- Suitable for a variety of door materials, please inquire



Additional fittings

Towel holder for steel and decor doors hinged on the right



Flip-flop and shoe holder for steel and decor doors hinged on the right



for compartment width Design for

steel doors wall
Order no. 4500-

300
singled-walled double-walled walled
4500-775 4500-770R

phenolic HPL doors

4500-7703R



400 singledwalled doublewalled walled 4500-776 4500-771R

0-776 4500-771

phenolic HPL doors 4500-7713R 300 400

singledwalled singledwalled walled **4500-777 4500-778**

300/400 d- doubled walled 78 4500-773R

phenolic HPL doors

4500-7733

Mirror

Price Design for

decor doors

Order no. Price

for steel and decor doors, to be mounted by the customer



Widht x Height for compartment width

for compartment width
Design for
steel/decor
doors

Order no. Price 110 x 90 mm 300/400

4500-761

90 mm 180 x 300 mm 0/400 300/400 irror Mirror

Mirror small

large

4500-762

Locking systems see next spage









Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic set includes the cylinder lock and two keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements

Additional charge per lock

time) +-..99

for cylinder lock

(longer delivery

- + Order no.
- + Addtl. charge



Safety turning bolts as standard design:

It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock:

The basic fitting for all Cambio 5 6000 lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience



SAFE-O-MAT deposit lock:

The best-selling classic among coin-operated locks. Available with a traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock:

The alternative for the basic function of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate:

Instead of the sign, silver, please specify numbering (order no. 8501-430).



Coin-operated lock:

As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.



Ticket-operated lock:

The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please inquire with respect to your specific needs.



Accessories

Perlon wristband for cylinder keys

Please indicate numbering from-to and list the desired color no.1



Please specify numbering





Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

1) 51 black 52 white

53 red

55 blue

56 gray 61 green 67 yellow Design Order no. Price

plastic 4502-0601 Stainless steel 4501-0601

65 x 38 x 1.0 mm plastic

4502-0611

without integrated door protection

Stainless steel 4501-0611



Please specify numbering from-to and color black (51), white (52), black gray (72), or white aluminum (65)

120 x 38 x 1.0 mm



4400-749..



Additional door protection/ number plate..... 84



Order no Price

8501-05..

self-adhesive film

Order no Price

Cylinder locks

Prices Basic per lock design Optional

Cylinder lock

Cylinder lock in black with 2 keys

Lock in moisture-proof design cylinder lock in black







up to 1000 different key numbers

up to 6000 different key numbers

via master key system with security certificate*

4500-724

via master key system without security certificate*

up to 1000 different key numbers

via master key system with security certificate*

via master key system without security

Order no. Unit price + Addtl. charge

4500-721

4500-723

4500-725

4500-7212

certificate*

Standard

4500-7242

4500-7252

Keys and safety turning bolts

Spare keys for cylinder lock



Spare key for master key system



Master key for master key system



Spare key for lock 4500-721 0006-21

Spare key for lock 4500-723 0006-00

with security certificate*

without security certificate*

security certificate*

with

without security



Order no. Price

0010-11

set to foreign

currency**

8500-44R

0006-00

4500-726

certificate*

4500-727

see left side

4500-718R

Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

alternatively use of

1 or 2 Euro

coins

8500-731R

each lock with 1 key

Order no.

Addtl. charge

Twin-coin deposit lock

Token-operated lock twin-coin, multi-use

set to 2 Euro deposit and 1 Euro cash function

8501-40

Ticket/ coin-operated lock

on request



Accessories for SAFE-O-MAT locks

	Promax replace- ment cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon
	-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal latch, security screw and key pouch (please specify desired color no.' and numbering)
Order no. Unit price	8501-4101	8511-00	included	8501-430	8501-46



1) 51 black

52 white 53 red

55 blue

56 gray

61 green

67 yellow


Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165

,	, ,,	,			
Design	Coin-operated deposit lock	Replacement exchangeable cylinder, unit price			
Order no.	8500-745	4500-741			
+ Addtl. charge					
Design	Master key	Removal key	Spare key		
Order no.	8511-20	4500-740	8511-22		
Unit price					





^{*} much longer delivery time, key made of brass

^{**} Please specify currency or send sample coin